

Refine Search

Search Results -

Term	Documents
INTERCONNECT	71291
INTERCONNECTS	40102
DRAM	43785
DRAMS	9236
CHIP	188859
CHIPS	93926
SCALAR	10444
SCALARS	971
VECTOR	131350
VECTORS	87226
(SCALAR AND DRAM AND INTERCONNECT AND CHIP AND VECTOR).CLM..PGPB.	0
((INTERCONNECT AND DRAM AND CHIP AND SCALAR AND VECTOR).CLM.).PGPB.	0

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L41

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, July 17, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set
Name Query
side by
side

Hit
Count Set
result set

DB=PGPB; PLUR=YES; OP=OR

L41 (interconnect and DRAM and chip and scalar and vector).clm. 0 L41

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L40 L39 and l1 18 L40

L39 (sushma or bratt or benkual or iwamoto or vaughn).in. 25306 L39

DB=PGPB; PLUR=YES; OP=OR

L38 (sushma or bratt or benkual or iwamoto or vaughn).in. 1145 L38

L37 (interconnect and DRAM and controller\$1 and chip and scalar and vector).clm. 0 L37

L36 ((ic or integrated) and coheren\$5 and DRAM and controller\$1 and chip and scalar and vector).clm. 0 L36

L35 ((ic or integrated) and coheren\$5 and DRAM and controller\$1 and chip and scalar and vector).clm. 0 L35

L34 L33 0 L34

DB=PGPB,USPT,USOC; PLUR=YES; OP=OR

L33 ((ic or integrated) and coheren\$5 and DRAM and I near1 O near3 controller\$1 and chip and scalar and vector).clm. 0 L33

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L32 L28 and l15 2 L32

L31 L28 and l14 3 L31

L30 L28 and l13 19 L30

L29 L28 and l12 29 L29

L28 l5 and (host\$3 or DRAM or ram) 74 L28

DB=PGPB,USPT; PLUR=YES; OP=OR

L27 l10 and l15 0 L27

L26 l10 and l14 1 L26

L25 l10 and l13 62 L25

L24 l10 and l12 121 L24

L23 l9 and l15 1 L23

L22 l9 and l14 1 L22

L21 l9 and l13 26 L21

L20 l9 and l12 41 L20

L19 l5 and l15 2 L19

L18 l5 and l14 3 L18

L17 l5 and l13 19 L17

L16 l5 and l12 36 L16

L15 (716/2-18)![CCLS] 10216 L15

L14 (710/305-317)![CCLS] 5688 L14

L13 (712/3-38, 225-228)[CCLS] 4772 L13


L12 (712/2-300)[CCLS] 13531 L12

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L11 l4 and l3 330 L11

<u>L10</u>	l1 and l3	367	<u>L10</u>
<u>L9</u>	L7 and l1	118	<u>L9</u>
<u>L8</u>	L7 and l5	17	<u>L8</u>
<u>L7</u>	vector\$1 near7 permut\$7	911	<u>L7</u>
<u>L6</u>	L5 and l3	18	<u>L6</u>
<u>L5</u>	L4 and l1	94	<u>L5</u>
<u>L4</u>	(south or north) near45 (bridge or interconnect\$4 or crossbar\$1 or switch\$3 or gate\$1 or rout\$4)	15523	<u>L4</u>
<u>L3</u>	coheren\$4 near15 (memor\$4 or stor\$4 or cach\$4)	15446	<u>L3</u>
<u>L2</u>	coheran\$4 near15 (memor\$4 or stor\$4 or cach\$4)	7	<u>L2</u>
<u>L1</u>	(chip or chipset or interconnect\$3 or ic) and (vector) and scalar	7016	<u>L1</u>

END OF SEARCH HISTORY



IEEE Xplore[®]
RELEASE 2.3

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((chip, chipset, interconnect) <and> vector and scalar <and> dram)<in>metadat..."

Your search matched 2 of 1613146 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((chip, chipset, interconnect) <and> vector and scalar <and> dram)<in>metadata)

 ☐ Check to search only within this results set

Display Format:




Citation



Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. **A236 parallel DSP chip provides real-time video processing economically and efficiently**
Morton, S.G.;
[ELECTRO '96, Professional Program, Proceedings](#),
30 April-2 May 1996 Page(s):261 - 268
Digital Object Identifier 10.1109/ELECTR.1996.501237
[AbstractPlus](#) | Full Text: [PDF](#)(628 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Video DSP architecture for MPEG2 codec**
Araki, T.; Toyokura, M.; Akiyama, T.; Takeno, H.; Wilson, B.; Aono, K.;
[Acoustics, Speech, and Signal Processing, 1994. ICASSP-94., 1994 IEEE International Conference](#),
Volume II, 19-22 April 1994 Page(s):II/417 - II/420 vol.2
Digital Object Identifier 10.1109/ICASSP.1994.389632
[AbstractPlus](#) | Full Text: [PDF](#)(288 KB) IEEE CNF
[Rights and Permissions](#)

Indexed by
 Inspec[®]

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IE